

Model 715 Remote Fill Box - Back Connection

SPECIFICATION SHEET

The 715 Series remote fill box is a 10-gallon (37.85 liter) capacity cabinet that provides containment of small spills during tank filling operations.

Features

- 3" male NPT threaded back connection
- Box is vented, weatherproof and lockable
- Bottom sloped toward drain and hand pump
- Vapor recovery mounting bracket
- Mounting brackets top and bottom
- Mating wall mount brackets included
- Quick disconnect or dry disconnect connections in 2" or 3" configurations
- All connection assemblies are factory installed and tested prior to shipping
- DEF, Aviation, and E-85 compatible models available
- Vapor recovery cap and adaptor kit available
- Post mount kits are available
- Four-leg stands are available in powder coated steel or stainless steel

Construction Details

- Box and door are 14-gauge steel, powder coated white or 304 stainless steel
- Ball valve is Morrison 691 series brass or 691BSS series stainless steel
- Quick disconnect coupler and plug are aluminum, anodized aluminum or stainless steel
- Quick disconnect adaptor and cap are anodized aluminum
- Dry disconnect adaptor with cap is aluminum, anodized aluminum or stainless steel
- Vapor recovery adaptor is aluminum with Viton®
- Vapor recovery cap is aluminum, powder coated orange
- Hand pump is steel construction, Teflon® seals with Viton® o-rings or stainless steel with Teflon® and Viton®

Box dimensions

- Width = 24.26"
- Height = 33.07"
- Depth = 22.20"

Certifications & Listings

CAN-ULC-S663-11; Florida DEP EQ-787



Fig. 715--TK



Fig. 715S-TK



Item Number	Size	Description	Weight (lbs)
715--TK3-0000-0	3"—10 gal.	Back connection w/ no internal components	118.0
715--TK3-000B-0	3"—10 gal.	Back connection w/ hand pump	
715--TK3-2QBB-0	3"—10 gal.	Back connection w/2" AL female QD coupler, BR ball valve, hand pump	149.0
715--TK3-2MBB-0	3"—10 gal.	Back connection w/2" AL male QD adaptor, BR ball valve, hand pump	149.0
715--TK3-3QBB-0	3"—10 gal.	Back connection w/3" AL female QD coupler, BR ball valve, hand pump	161.0
715--TK3-3MBB-0	3"—10 gal.	Back connection w/3" AL male QD adaptor, BR ball valve, hand pump	161.0
715--TK3-2DBB-0	3"—10 gal.	Back connection w/2" AL dry disc adaptor, BR ball valve, hand pump	152.0
715--TK3-3DBB-0	3"—10 gal.	Back connection w/3" AL dry disc adaptor, BR ball valve, hand pump	165.0
715--TK3-2DS0-0	3"—10 gal.	Back connection w/2" AL dry disc adaptor, SS ball valve	
715--TK3-2SSS-0	3"—10 gal.	Back connection w/2" SS female QD coupler, SS ball valve, SS hand pump	
715--TK3-3DS0-0	3"—10 gal.	Back connection w/3" AL dry disc adaptor, SS ball valve	
715--TK3-2DSE-0	3"—10 gal.	Back connection w/2" AL dry disc adaptor, SS ball valve, E85 hand pump	
715--TK3-3DSE-0	3"—10 gal.	Back connection w/3" AL dry disc adaptor, SS ball valve, E85 hand pump	
715S-TK3-2SSS-0	3"—10 gal.	SS back connection w/2" SS female QD coupler, SS ball valve, SS hand pump	114.0
715S-TK3-2ESS-0	3"—10 gal.	SS back connection w/2" SS dry disc adaptor, SS ball valve, SS hand pump	129.0
715S-TK3-3SS0-0	3"—10 gal.	SS back connection w/3" SS female QD coupler, SS ball valve	150.0
715S-TK3-3SSS-0	3"—10 gal.	SS back connection w/3" SS female QD coupler, SS ball valve, SS hand pump	120.0
715S-TK3-3MBB-0	3"—10 gal.	SS back connection w/3" AL male QD adaptor, BR ball valve, hand pump	120.0
715S-TK3-3MS0-0	3"—10 gal.	SS back connection w/3" AL male QD adaptor, SS ball valve	120.0
715---S400 AS		4 leg stand, powder coated steel	
715S--S400 AS		4 leg stand, stainless steel	
715---0373 2K		Mounting plate assembly kit	

**Please consult Price List for additional options.*



